Complete Specification Sheet

Jagger™ Static Color

LINEAR LED



Jagger™ Static Color (Indoor)

Corner Bending Linear LED

RoHS COMPLIANT | c UL us LISTED | 24V DC | Dry Rated | Field Cuttable

Specifications

Category	Linear LED
Series	Jagger
Family	Static Color
Environment	IP67
CRI	90+
CCT Options	2400K, 2700K, 3000K, 3500K, 4000K, 5000K
Input Voltage	24V DC
Width	0.31in (8.0mm)
Height	0.04in (1.0mm)
Max Run Length	16ft (4.87M)
Cut Intervals	3.94″ (100.0mm)
Operating Temp.	-40°F (-40°C) to 113°F (45°C)
Dimming Options	PWM, Triac, 0–10V, DMX, Hi-lume


Features

- Ideal for Curved Lighting Applications
- Dimmable
- 50,000 Hour Life Expectancy
- 5-Year Warranty
- UL-Listed for Indoor Use
- 3M™ Industrial Adhesive Backing
- For Use with 24V Power Supplies

Description

Jagger can bend into nearly any shape. Since it can flex both horizontally and vertically, Jagger is perfect for backlighting shapes and letters used for signage.

Dimensions



Kelvix reserves the right to update the product specifications at any time. To maintain warranty, field modifications must follow approved Kelvix installation instruction.
Conforms to ANSI/UL Standard 2108
Certified to CAN/CSA Standard C22.2 No. 250.2

Fixture Type _____

Project Name _____

Location _____

Product Code Builder

Jagger™ Static Color

Product Code Builder

Example: JA27K-24V

SERIES/CCT

JA27K	2700K
JA30K	3000K
JA35K	3500K
JA40K	4000K
JA50K	5000K
JA65K	6500K

VOLTAGE

24V	24V DC


PRODUCT DATA

Feet	Watts
1	2.2
2	3.6
3	6.6
4	8.8
5	11
6	13.2
7	15.4
8	17.6
9	19.8
10	22
11	24.2
12	26.4
13	28.6
14	30.8
15	33
16	35.2

CCT	lm/ft
2700K	155
3000K	159
3500K	163
4000K	167
5000K	171
6500K	173

BEND DIAMETER

Do Not Exceed 90° per Bend Interval



Kelvix reserves the right to update the product specifications at any time. To maintain warranty, field modifications must follow approved Kelvix installation instruction.
Conforms to ANSI/UL Standard 2108
Certified to CAN/CSA Standard C22.2 No. 250.2

Fixture Type _____

Project Name _____

Location _____