

Title 24 JA8 Compliant Products



I Description

California's Title 24 energy code is designed to reduce wasteful and unnecessary energy consumption in newly constructed and existing buildings. JA8 is the revision of Title 24 which includes lighting. JA8 encompasses indoor and outdoor lighting in new construction, renovations, and additions to both residential and non-residential buildings. This certification requires that light sources are high in efficacy and possess a CRI of 90 or above. Below is a list of Kelvix's compliant products.

PRODUCTS	MODEL NUMBER
Direct View 200 (Indoor)	
Direct View 200 Indoor 2700K	DL27K-24V
Direct View 200 Indoor 3000K	DL30K-24V
Direct View 200 Indoor 3500K	DL35K-24V
Direct View 200 Indoor 4000K	DL40K-24V
Direct View 200 (Outdoor)	
Direct View 200 Outdoor 2700K	DL27K-WR-24V
Direct View 200 Outdoor 3000K	DL30K-WR-24V
Direct View 200 Outdoor 3500K	DL35K-WR-24V
Direct View 200 Outdoor 4000K	DL40K-WR-24V
Direct View 400 (Indoor)	
Direct View 400 Indoor 2700K	DK27K-24V
Direct View 400 Indoor 3000K	DK30K-24V
Direct View 400 Indoor 3500K	DK35K-24V
Direct View 400 Indoor 4000K	DK40K-24V
Direct View 400 (Outdoor)	
Direct View 400 Outdoor 2700K	DK27K-WR-24V
Direct View 400 Outdoor 3000K	DK30K-WR-24V
Direct View 400 Outdoor 3500K	DK35K-WR-24V
Direct View 400 Outdoor 4000K	DK40K-WR-24V
Direct View 700 (Indoor)	
Direct View 700 Indoor 2700K	DV27K-24V
Direct View 700 Indoor 3000K	DV30K-24V
Direct View 700 Indoor 3500K	DV35K-24V
Direct View 700 Indoor 4000K	DV40K-24V

Title 24 JA8 Compliant Products



PRODUCTS	MODEL NUMBER
Direct View 700 (Outdoor)	
Direct View 700 Outdoor 2700K	DV27K-WR-24V
Direct View 700 Outdoor 3000K	DV30K-WR-24V
Direct View 700 Outdoor 3500K	DV35K-WR-24V
Direct View 700 Outdoor 4000K	DV40K-WR-24V
Performance 100 (Indoor)	
Performance 100 Indoor 2700K	PJ27K-24V
Performance 100 Indoor 3000K	PJ30K-24V
Performance 100 Indoor 3500K	PJ35K-24V
Performance 100 Indoor 4000K	PJ40K-24V
Performance 100 (Outdoor)	
Performance 100 Outdoor 2700K	PJ27K-WR-24V
Performance 100 Outdoor 3000K	PJ30K-WR-24V
Performance 100 Outdoor 3500K	PJ35K-WR-24V
Performance 100 Outdoor 4000K	PJ40K-WR-24V
Performance 200 (Indoor)	
Performance 200 Indoor 2700K	PL27K-24V
Performance 200 Indoor 3000K	PL30K-24V
Performance 200 Indoor 3500K	PL35K-24V
Performance 200 Indoor 4000K	PL40K-24V
Performance 200 (Outdoor)	
Performance 200 Outdoor 2700K	PL27K-WR-24V
Performance 200 Outdoor 3000K	PL30K-WR-24V
Performance 200 Outdoor 3500K	PL35K-WR-24V
Performance 200 Outdoor 4000K	PL40K-WR-24V
Performance 300 (Indoor)	
Performance 300 Indoor 2700K	PH27K-24V
Performance 300 Indoor 3000K	PH30K-24V
Performance 300 Indoor 3500K	PH35K-24V
Performance 300 Indoor 4000K	PH40K-24V
Performance 300 (Outdoor)	
Performance 300 Outdoor 2700K	PH27K-WR-24V
Performance 300 Outdoor 3000K	PH30K-WR-24V
Performance 300 Outdoor 3500K	PH35K-WR-24V
Performance 300 Outdoor 4000K	PH40K-WR-24V

Title 24 JA8 Compliant Products



PRODUCTS	MODEL NUMBER
Performance 500 (Indoor)	
Performance 500 Indoor 2700K	PQ27K-24V
Performance 500 Indoor 3000K	PQ30K-24V
Performance 500 Indoor 3500K	PQ35K-24V
Performance 500 Indoor 4000K	PQ40K-24V
Performance 500 (Outdoor)	
Performance 500 Outdoor 2700K	PQ27K-WR-24V
Performance 500 Outdoor 3000K	PQ30K-WR-24V
Performance 500 Outdoor 3500K	PQ35K-WR-24V
Performance 500 Outdoor 4000K	PQ40K-WR-24V
Orex Title 24	
Orex Title 24 2400K	RXT-300-24K
Orex Title 24 2700K	RXT-300-27K
Orex Title 24 3000K	RXT-300-30K
Orex Title 24 3500K	RXT-300-35K
Orex Title 24 4000K	RXT-300-40K
Unicab	
Unicab 9"	UC9-3040-010V-120277-XXX
Unicab 14"	UC14-3040-010V-120277-XXX
Unicab 22"	UC22-3040-010V-120277-XXX
Unicab 32"	UC32-3040-010V-120277-XXX
Unicab 40"	UC40-3040-010V-120277-XXX
Uniform 3-Step Color Tuning (Indoor)	
Uniform 3- Step Color Tuning Indoor 300	UNI3-CT-I-300
Uniform 3- Step Color Tuning Indoor 600	UNI3-CT-I-600
Uniform 3-Step Color Tuning (Outdoor)	
Uniform 3- Step Color Tuning Outdoor 300	UNI3-CT-O-300
Uniform 3- Step Color Tuning Outdoor 600	UNI3-CT-O-600
Uniform 3-Step Dim to Warm (Indoor)	
Uniform 3- Step Dim to Warm Indoor 100	UNI3-DW-I-100
Uniform 3- Step Dim to Warm Indoor 300	UNI3-DW-I-300
Uniform 3- Step Dim to Warm Indoor 600	UNI3-DW-I-600
Uniform 3-Step Dim to Warm (Outdoor)	
Uniform 3- Step Dim to Warm Outdoor 100	UNI3-DW-O-100
Uniform 3- Step Dim to Warm Outdoor 300	UNI3-DW-O-300
Uniform 3- Step Dim to Warm Outdoor 600	UNI3-DW-O-600

Title 24 JA8 Compliant Products



PRODUCTS	MODEL NUMBER
Uniform 3-Step Thin Line (Indoor)	
Uniform 3-Step Thin Line Indoor 100	UNI3-TL-I-100
Uniform 3-Step Thin Line Indoor 200	UNI3-TL-I-200
Uniform 3-Step Thin Line Indoor 300	UNI3-TL-I-300
Uniform 3-Step Thin Line (Outdoor)	
Uniform 3-Step Thin Line Outdoor 100	UNI3-TL-O-100
Uniform 3-Step Thin Line Outdoor 200	UNI3-TL-O-200
Uniform 3-Step Thin Line Outdoor 300	UNI-TL-O-300
Uniform 3-Step Static White (Indoor)	
Uniform 3-Step Static White Indoor 100	UNI3-WL-I-100
Uniform 3-Step Static White Indoor 200	UNI3-WL-I-200
Uniform 3-Step Static White Indoor 300	UNI3-WL-I-300
Uniform 3-Step Static White Indoor 400	UNI3-WL-I-400
Uniform 3-Step Static White Indoor 500	UNI3-WL-I-500
Uniform 3-Step Static White Indoor 750	UNI3-WL-I-750
Uniform 3-Step Static White Indoor 1000	UNI3-WL-I-1000
Uniform 3-Step Static White Indoor 1250	UNI3-WL-I-1250
Uniform 3-Step Static White Indoor 1500	UNI3-WL-I-1500
Uniform 3-Step Static White (Outdoor)	
Uniform 3-Step Static White Outdoor 100	UNI3-WL-O-100
Uniform 3-Step Static White Outdoor 200	UNI3-WL-O-200
Uniform 3-Step Static White Outdoor 300	UNI3-WL-O-300
Uniform 3-Step Static White Outdoor 400	UNI3-WL-O-400
Uniform 3-Step Static White Outdoor 500	UNI3-WL-O-500
Uniform 3-Step Static White Outdoor 750	UNI3-WL-O-750
Uniform 3-Step Static White Outdoor 1000	UNI3-WL-O-1000
Uniform 3-Step Static White Outdoor 1250	UNI3-WL-O-1250
Uniform 3-Step Static White Outdoor 1500	UNI3-WL-O-1500
Quix	
Quix 2700 14.40"	QX-550-27K-1-010V-120277-SV
Quix 2700 22.40"	QX-550-27K-2-010V-120277-SV
Quix 2700 34.49"	QX-550-27K-3-010V-120277-SV
Quix 2700 46.45"	QX-550-27K-4-010V-120277-SV
Quix 3000 14.40"	QX-550-30K-1-010V-120277-SV
Quix 3000 22.40"	QX-550-30K-2-010V-120277-SV
Quix 3000 34.49"	QX-550-30K-3-010V-120277-SV
Quix 3000 46.45"	QX-550-30K-4-010V-120277-SV
Quix 3500 14.40"	QX-550-35K-1-010V-120277-SV
Quix 3500 22.40"	QX-550-35K-2-010V-120277-SV

Title 24 JA8 Compliant Products



PRODUCTS	MODEL NUMBER
Quix (Cont'd)	
Quix 3500 34.49"	QX-550-35K-3-010V-120277-SV
Quix 3500 46.45"	QX-550-35K-4-010V-120277-SV
Quix 4000 14.40"	QX-550-40K-1-010V-120277-SV
Quix 4000 22.40"	QX-550-40K-2-010V-120277-SV
Quix 4000 34.49"	QX-550-40K-3-010V-120277-SV
Quix 4000 46.45"	QX-550-40K-4-010V-120277-SV
Fizzix	
FZX-300-27K-12-SV-24V	FIZZIX 300 SERIES, 2700K, 12 INCH, 24V, SILVER
FZX-300-27K-24-SV-24V	FIZZIX 300 SERIES, 2700K, 24 INCH, 24V, SILVER
FZX-300-27K-36-SV-24V	FIZZIX 300 SERIES, 2700K, 36 INCH, 24V, SILVER
FZX-300-27K-4-SV-24V	FIZZIX 300 SERIES, 2700K, 4 INCH, 24V, SILVER
FZX-300-27K-48-SV-24V	FIZZIX 300 SERIES, 2700K, 48 INCH, 24V, SILVER
FZX-300-30K-12-SV-24V	FIZZIX 300 SERIES, 3000K, 12 INCH, 24V, SILVER
FZX-300-30K-24-SV-24V	FIZZIX 300 SERIES, 3000K, 24 INCH, 24V, SILVER
FZX-300-30K-36-SV-24V	FIZZIX 300 SERIES, 3000K, 36 INCH, 24V, SILVER
FZX-300-30K-4-SV-24V	FIZZIX 300 SERIES, 3000K, 4 INCH, 24V, SILVER
FZX-300-30K-48-SV-24V	FIZZIX 300 SERIES, 3000K, 48 INCH, 24V, SILVER
FZX-300-35K-12-SV-24V	FIZZIX 300 SERIES, 3500K, 12 INCH, 24V, SILVER
FZX-300-35K-24-SV-24V	FIZZIX 300 SERIES, 3500K, 24 INCH, 24V, SILVER
FZX-300-35K-36-SV-24V	FIZZIX 300 SERIES, 3500K, 36 INCH, 24V, SILVER
FZX-300-35K-4-SV-24V	FIZZIX 300 SERIES, 3500K, 4 INCH, 24V, SILVER
FZX-300-35K-48-SV-24V	FIZZIX 300 SERIES, 3500K, 48 INCH, 24V, SILVER
FZX-300-40K-12-SV-24V	FIZZIX 300 SERIES, 4000K, 12 INCH, 24V, SILVER
FZX-300-40K-24-SV-24V	FIZZIX 300 SERIES, 4000K, 24 INCH, 24V, SILVER
FZX-300-40K-36-SV-24V	FIZZIX 300 SERIES, 4000K, 36 INCH, 24V, SILVER
FZX-300-40K-4-SV-24V	FIZZIX 300 SERIES, 4000K, 4 INCH, 24V, SILVER
FZX-300-40K-48-SV-24V	FIZZIX 300 SERIES, 4000K, 48 INCH, 24V, SILVER
FZX-27K-C	FIZZIX 300 SERIES, 2700K, 4 INCH "L" CONNECTOR, 24V, SILVER
FZX-27K-I	FIZZIX 300 SERIES, 2700K, 4 INCH "L" IN FACING CONNECTOR, 24V, SILVER
FZX-27K-O	FIZZIX 300 SERIES, 2700K, 4 INCH "L" OUT FACING CONNECTOR, 24V, SILVER
FZX-27K-T	FIZZIX 300 SERIES, 2700K, 4 INCH "T" CONNECTOR, 24V, SILVER
FZX-27K-X	FIZZIX 300 SERIES, 2700K, 4 INCH CROSS CONNECTOR, 24V, SILVER
FZX-30K-C	FIZZIX 300 SERIES, 3000K, 4 INCH "L" CONNECTOR, 24V, SILVER
FZX-30K-I	FIZZIX 300 SERIES, 3000K, 4 INCH "L" IN FACING CONNECTOR, 24V, SILVER
FZX-30K-O	FIZZIX 300 SERIES, 3000K, 4 INCH "L" OUT FACING CONNECTOR, 24V, SILVER
FZX-30K-T	FIZZIX 300 SERIES, 3000K, 4 INCH "T" CONNECTOR, 24V, SILVER
FZX-30K-X	FIZZIX 300 SERIES, 3000K, 4 INCH CROSS CONNECTOR, 24V, SILVER
FZX-35K-C	FIZZIX 300 SERIES, 3500K, 4 INCH "L" CONNECTOR, 24V, SILVER
FZX-35K-I	FIZZIX 300 SERIES, 3500K, 4 INCH "L" IN FACING CONNECTOR, 24V, SILVER

Title 24 JA8 Compliant Products



PRODUCTS	MODEL NUMBER
Fizzix (Cont'd)	
FZX-35K-O	FIZZIX 300 SERIES, 3500K, 4 INCH "L" OUT FACING CONNECTOR, 24V, SILVER
FZX-35K-T	FIZZIX 300 SERIES, 3500K, 4 INCH "T" CONNECTOR, 24V, SILVER
FZX-35K-X	FIZZIX 300 SERIES, 3500K, 4 INCH CROSS CONNECTOR, 24V, SILVER
FZX-40K-C	FIZZIX 300 SERIES, 4000K, 4 INCH "L" CONNECTOR, 24V, SILVER
FZX-40K-I	FIZZIX 300 SERIES, 4000K, 4 INCH "L" IN FACING CONNECTOR, 24V, SILVER
FZX-40K-O	FIZZIX 300 SERIES, 4000K, 4 INCH "L" OUT FACING CONNECTOR, 24V, SILVER
FZX-40K-T	FIZZIX 300 SERIES, 4000K, 4 INCH "T" CONNECTOR, 24V, SILVER
FZX-40K-X	FIZZIX 300 SERIES, 4000K, 4 INCH CROSS CONNECTOR, 24V, SILVER
Power Supplies	
ULV96-M	MINI ULV96, 96 WATT, 24 VOLT, CLASS 2, INDOOR, COMPACT POWER SUPPLY
HLV96-M	MINI HLV96, 96 WATT, 24 VOLT, CLASS 2, INDOOR/OUTDOOR, COMPACT POWER SUPPLY