




Complete Specification Sheet

Digital Pixel (Outdoor)

Digital Pixel (Outdoor)

Color Changing Pixel Control



Specifications

Category	Linear LED
Series	TX Series
Family	Digital Pixel
Watts Per Foot	5.79W/ft
Environment	IP67
Diode	5050
CRI	90+ (White 3000K)
Input Voltage	24V DC
Width	0.48in (12mm)
Height	0.16in (4mm)
Max Run Length	16.4ft (5M)
Cut Intervals	3.93in (100mm)
Beam Angle	120
Lumens per ft	223lm/ft
Operating Temp.	-40°F (-40°C) to 149°F (65°C)
Dimming Options	SPI via UCS2904

Features

- 90+ CRI
- Dimmable
- Independently Controllable Every 6 Diodes
- 50,000 Hour Life Expectancy
- UL-Listed for Indoor and Outdoor Use
- 3M™ Industrial Adhesive Backing
- For Use with Electronic Power Supplies
- 5-Year Warranty


Power Chart

Feet	Watts	7	38.5	14	74.8
1	5.7	8	44.1	15	79.8
2	11.4	9	49.3	16	84.7
3	17	10	54.5		
4	22.5	11	59.7		
5	28	12	64.8		
6	33.4	13	69.8		

Order Code



Dimensions



Kelvix reserves the right to update the product specifications at any time. To maintain warranty, field modifications must follow approved Kelvix installation instruction.
 Conforms to ANSI/UL Standard 2108
 Certified to CAN/CSA Standard C22.2 No. 250.2

Fixture Type _____
 Project Name _____
 Location _____