

FIXTURE TYPE _____

PROJECT NAME _____

LOCATION _____



Pavex™ Linear Light Source

INGROUND HARDSCAPE FIXTURE




I Description

Pavex Linear is a highly customizable linear in-ground fixture. Enabling lines and angles of illumination to be added to a variety of hardscape applications. NOTE: Pavex Lighting Source and Housing Sold Separately.

I Features

- Perfect for Pavers, Gravel, Soil, Decks, Etc. (Custom Housing needed for Concrete Mounting)
- Pure White Tempered Glass
- Drive-Over Rated
- Non-Slip Textured Surface
- High Impact Rated / IK10
- Custom Sizes Available



I Specifications

Temperature/Color*	2700K, 3000K, 3500K, 4000K, Red, Blue, Green
Input Voltage	24V DC/Constant Voltage
Lumens per Watt	30 lm/W
CRI	80
IP Rating	IP67
Impact Rating	IK10
Drive-Over Rating	10,000 lbs
Finish	Stainless Steel
Electrical Safety Classification	UL 2108 Non-Class 2
Operating Temp	-13°F (-25°C) to 122°F (50°C)

Conforms to ANSI/UL Standard 2108
Certified to CAN/CSA Standard C22.2 NO. 250.0



I Product Code Builder (Light Source)

Item	Shape	Dimensions*	Temp/Color*
PVX	L		
PVX—Pavex	L—Linear	12×2 —12" × 2" 24×2 —24" × 2" 36×2 —36" × 2" 48×2 —48" × 2" 12×4 —12" × 4" 24×4 —24" × 4" 36×4 —36" × 4" 48×4 —48" × 4"	27 —2700K 30 —3000K 35 —3500K 40 —4000K RD —Red GR —Green BL —Blue
Control	Install	Housing	Input Voltage
ST	P	SS	24V
ST—Pulse Width Modulation	P—Paver	SS - Stainless Steel	24V—24V


Example: PVX-L-12x2-27-ST-P-SS-24V

* Customizable—Consult Factory

I Dimensions


12×2 Light Source

Model Number	PVX-L-12x2
Length	11.81" (300.0mm)
Width	1.97" (50.0mm)
Height	3.39" (86.0mm)




24×2 Light Source

Model Number	PVX-L-24x2
Length	23.62" (600.0mm)
Width	1.97" (50.0mm)
Height	3.39" (86.0mm)




36×2 Light Source

Model Number	PVX-L-36x2
Length	35.43" (900.0mm)
Width	1.97" (50.0mm)
Height	3.39" (86.0mm)



48×2 Light Source

Model Number	PVX-L-48x2
Length	47.24" (1200.0mm)
Width	1.97" (50.0mm)
Height	3.39" (86.0mm)






Dimensions


12x4 Light Source

Model Number	PVX-L-12x4
Length	11.81" (300.0mm)
Width	3.94" (100.0mm)
Height	3.39" (86.0mm)



24x4 Light Source

Model Number	PVX-L-24x2
Length	23.62" (600.0mm)
Width	3.94" (100.0mm)
Height	3.39" (86.0mm)




36x4 Light Source

Model Number	PVX-L-36x4
Length	35.43" (900.0mm)
Width	3.94" (100.0mm)
Height	3.39" (86.0mm)




48x4 Light Source

Model Number	PVX-L-48x4
Length	47.24" (1200.0mm)
Width	3.94" (100.0mm)
Height	3.39" (86.0mm)



Series Data

Lengths	12x2	24x2	36x2	48x2	12x4	24x4	36x4	48x4
Lumen	54 lm	105 lm	180 lm	210 lm	90 lm	180 lm	300 lm	360 lm
Watts	1.8W	3.5W	6W	7W	3W	6W	10 W	12W



Pavex™ Linear Housing


INGROUND HARDSCAPE FIXTURE



I Dimensions


12x2 Housing

Housing Number	PVX-L-HSE-12x2-S-K1-SS
Length	12.00" (305.0mm)
Width	2.17" (55.0mm)
Height	5.00" (127.0mm)




24x2 Housing

Housing Number	PVX-L-HSE-24x2-S-K1-SS
Length	23.82" (605.0mm)
Width	2.17" (55.0mm)
Height	5.00" (127.0mm)




36x2 Housing

Housing Number	PVX-L-HSE-36x2-S-K1-SS
Length	35.63" (905.0mm)
Width	2.17" (55.0mm)
Height	5.00" (127.0mm)



48x2 Housing

Housing Number	PVX-L-HSE-48x2-S-K1-SS
Length	47.44" (1205.0mm)
Width	2.17" (55.0mm)
Height	5.00" (127.0mm)






I Dimensions (Continued)


12x4 Housing

Housing Number	PVX-L-HSE-12x4-S-K1-SS
Length	12.00" (305.0mm)
Width	4.13" (55.0mm)
Height	5.00" (127.0mm)




24x4 Housing

Housing Number	PVX-L-HSE-24x4-S-K1-SS
Length	23.82" (605.0mm)
Width	4.13" (55.0mm)
Height	5.00" (127.0mm)




36x4 Housing

Housing Number	PVX-L-HSE-36x4-S-K1-SS
Length	35.63" (905.0mm)
Width	4.13" (55.0mm)
Height	5.00" (127.0mm)



48x4 Housing

Housing Number	PVX-L-HSE-48x4-S-K1-SS
Length	47.44" (1205.0mm)
Width	4.13" (55.0mm)
Height	5.00" (127.0mm)



I Product Code Builder (Housing)

Item	Shape	Component	Dimensions*	Depth	Knockout	Material
PVX	L	HSE			K1	SS
PVX—Pavex	L—Linear	HSE — Housing	12x2 —12" x 2" 24x2 —24" x 2" 36x2 —36" x 2" 48x2 —48" x 2" 12x4 —12" x 4" 24x4 —24" x 4" 36x4 —36" x 4" 48x4 —48" x 4"	S —Standard 5" C —Custom	K1 —1-¼" Knockout	SS —Stainless Steel
Example: PVX-L-HSE-12x2-S-K1-SS			* Customizable—Consult Factory			