

FIXTURE TYPE _____

PROJECT NAME _____

LOCATION _____



RGBCT (Indoor)

COLOR CHANGING LINEAR LED



I Description

RGBCT is perfect for the project needing ultimate flexibility. This product combines RGB + Color Tuning all in a single node, allowing the user to access nearly limitless color combinations or Kelvin temperature.

I Features

- Ability to Mix Kelvin Temperatures
- Dimmable
- 50,000 Hour Life
- 5-Year Warranty
- UL-Listed for Indoor Use
- 3M™ Industrial Adhesive Backing
- For Use with Electronic Power Supplies

I Series Spec

Series	RGBCT
Temp Color	2300K–6500K
Dimming Protocol	RF, Bluetooth, DMX 512
Indoor/Outdoor	Indoor
Input Voltage	24V DC
Watts per Foot	4W
Beam Spread	120°
Max Run Length	25ft
CRI	90+
Operating Temp.	-40°F (-40°C) to 149°F (65°C)
Cut Intervals	3.26" (83.0mm)
Dimensions	0.47" (12.0mm) × 0.08" (2.2mm)
Diode	5050
Field Cuttable	Yes
Lumens per Foot	340 lm
Lumens per Watt	85 lm/W

I Product Code Builder


Example: RGBCT-24V

Item	Voltage
RGBCT	24V
RGBCT—RGBCT	24V—24V DC

Conforms to ANSI/UL Standard 2108
Certified to CAN/CSA Standard C22.2 NO. 250.0



I Dimensions



I Power Chart

Watts	1 ft	3.9
	2 ft	7.6
	3 ft	11.1
	4 ft	14.5
	5 ft	17.7
	6 ft	20.8
	7 ft	23.8
	8 ft	26.7
	9 ft	29.4
	10 ft	32.0
	11 ft	34.4
	12 ft	36.8
	13 ft	39.0
	14 ft	41.1
	15 ft	43.1
	16 ft	44.9
	17 ft	46.7
	18 ft	48.3
	19 ft	49.8
	20 ft	51.3
21 ft	52.6	
22 ft	53.8	
23 ft	54.9	
24 ft	55.9	
25 ft	56.9	